

Naručilac: „Parking servis Podgorica” d.o.o. Podgorica

Broj: 1106

Mjesto i datum: Podgorica, 02.03.2020.

OBRAZAC 1

Na osnovu člana 30 Zakona o javnim nabavkama („Službeni list CG“, br. 42/11, 57/14, 28/15 i 42/17 ) i Pravilnika o sadržaju akta i obrascima za sprovođenje nabavki male vrijednosti („Službeni list CG“, br. 49/17 ), „Parking servis Podgorica” d.o.o. Podgorica dostavlja

**ZAHTJEV ZA DOSTAVLJANJE PONUDA  
ZA NABAVKE MALE VRIJEDNOSTI**

**I Podaci o naručiocu**

Naručilac: „Parking Servis Podgorica” d.o.o. Podgorica	Lice/a za davanje informacija: Aleksandra Škerović
Adresa: ul. 19. decembra b.b., južna tribina Gradskog stadiona	Poštanski broj: 81000
Sjedište: Podgorica	PIB (Matični broj): 02653753
Telefon: 020 665 515, 067 325 424	Faks: 020 665 515
E-mail adresa: javnenabavke@parkingservispg.me	Internet stranica (web): www.parkingservispg.me

**II Predmet nabavke:**

robe

**III Opis predmeta nabavke:**

Predmet javne nabavke obuhvata nabavku Opreme za video nadzor na naplatnim kućicama i garažama za potrebe “Parking servis Podgorica” d.o.o. Podgorica.

**IV Procijenjena vrijednost nabavke:**

Procijenjena vrijednost nabavke sa uračunatim PDV-om 14.000,00 €;

**V Tehničke karakteristike ili specifikacije**

R.B.	Opis predmeta nabavke, odnosno dijela predmeta nabavke	Bitne karakteristike predmeta nabavke u pogledu kvaliteta, performansi i/ili dimenzija	Jedinica mjere	Količina
1.	Nabavka, isporuka i montaža DVR uređaja XVR5116H-4KL-X ili ekvivalentno	16 Channel, BNC HDCVI camera 4K, 6MP, 4MP, 1080P@25/30fps, 720P@50/60fps, 720P@25/30fps PAL/NTSC 1/1, RCA Compression: H.265+/H.265/H.264+/H.264 Recording resolution: 4K, 6MP, 5MP, 4MP, 3MP, 4M-N, 1080P, 720P, 960H, D1, CIF Recording framerate: Main stream: 4K(1~7fps); 6MP(1~10fps); 5MP(1~12fps); 4MP/3MP(1~15fps); 4M-N/1080P/720P/960H/D1/CIF(1~25/30fps), Sub stream: 960H(1~15fps); D1/CIF(1~25/30fps) Record Mode: Manual, Schedule (General, Continuous), MD (Video detection): Motion Detection, Video Loss, Tampering), Alarm, Stop Interface: 1 HDMI, 1 VGA Resolution: HDMI:3840×2160, 2560×1440, 1920×1080, 1280×1024,1280×720, VGA: 1920×1080, 1280×1024, 1280×720 Network interface: 1 RJ-45 Port (1000M) Network Function: HTTP, HTTPS, TCP/IP, IPv4/IPv6, Wi-Fi, 3G/4G, UPnP, RTSP, UDP, SMTP, NTP, DHCP, DNS, IP Filter, PPPoE,DDNS, FTP, Alarm Server, P2P,IP Search (Supports Dahua IP camera, DVR, NVS, etc.) Max. User Access: 128 users Playback: 16CH: 1/4/9/16	komad	4

		<p>Search Mode: Time /Date, Alarm, MD and Exact Search (accurate to second)</p> <p>Backup Mode: USB Device/Network</p> <p>Internal HDD: 1 SATA Port, up to 10TB capacity</p> <p>2 USB Ports (1 USB 2.0 , 1 USB 3.0)</p> <p>RS485, 1 Port, for PTZ Control</p> <p>Power Supply: 16CH:DC12V/3A</p> <p>Dimensions: Mini 1U, 325mm×255mm×55mm (12.8" x 10" x 2.2")</p> <p>Operating Conditions: -10°C ~ +55°C (+14°F ~ +131°F), 10% ~ 90% RH</p> <p>Storage Conditions: -20°C ~ +70°C (-4°F ~ +158°F), 0~ 90% RH</p>		
2.	<p>Nabavka, isporuka i montaža DVR uređaja XVR5104HS-4KL-X ili ekvivalentno</p>	<p>4 Channel, BNC</p> <p>HDCVI camera 4K, 6MP, 5MP, 4MP, 1080P@25/30fps, 720P@50/60fps, 720P@25/30fps</p> <p>PAL/NTSC</p> <p>1/1, RCA</p> <p>Compression: H.265+/H.265/H.264+/H.264</p> <p>Recording resolution: 4K, 6MP, 5MP, 4K-N, 4MP, 3MP, 4M-N, 1080P, 720P, 960H, D1,CIF</p> <p>Recording framerate: Main stream: the 1st channel 4K(1~7fps), 6MP(1~10fps), 5MP(1~12fps), 4MP/3MP(1~15fps), others 4K-N(1~7fps), 4MP/3MP(1~15fps); 4M-N/1080P/720P/960H/D1/CIF (1~25/30fps)</p> <p>Sub stream:960H(1~15fps); D1/CIF(1~25/30fps)</p> <p>Record Mode: Manual, Schedule (General, Continuous), MD (Video detection: Motion Detection, Video Loss, Tampering), Alarm, Stop</p> <p>Interface: 1 HDMI, 1 VGA</p>	komad	1

		<p>Resolution: HDMI:3840×2160, 2560×1440, 1920×1080, 1280×1024, 1280×720  VGA: 1920×1080, 1280×1024, 1280×720  Network interface: 1 RJ-45 Port (1000M)  Network Function: HTTP, HTTPS, TCP/IP, IPv4/IPv6, Wi-Fi, 3G/4G, UPnP, RTSP, UDP, SMTP, NTP, DHCP, DNS, IP Filter, PPPoE, DDNS, FTP, Alarm Server, P2P, IP Search (Supports Dahua IP camera, DVR, NVS, etc.)  Max. User Access: 128 users  Playback: 4CH: 1/4  Search Mode: Time /Date, Alarm, MD and Exact Search (accurate to second)  Backup Mode: USB Device/Network  Internal HDD: 1 SATA Port, up to 10TB capacity  2 USB Ports (1 USB 2.0 , 1 USB 3.0)  RS485, 1 Port, for PTZ Control  Power Supply: DC12V/2A  Dimensions: Compact 1U, 260×236×48mm(10.2"×9.3"×1.9")  Operating Conditions: -10°C ~ +55°C (+14°F ~ +131°F), 10% ~ 90% RH  Storage Conditions: -20°C ~ +70°C (-4°F ~ +158°F), 0~ 90% RH</p>		
3.	<p>Nabavka, isporuka i montaža NVR uređaja NVR4104HS-4KS2 4K ili ekvivalentno</p>	<p>Display interface: 1 HDMI, 1 VGA  Display resolution: 3840×2160, 1920×1080, 1280×1024, 1280×720, 1024×768  Trigger Events: Recording, PTZ, Tour, Video Push, Email, FTP, Snapshot, Buzzer and Screen Tips  Video Detection: Motion Detection, MD Zones: 396 (22 × 18), Video Loss and Tampering  Compression: H.265/ H.264  Resolution: 8Mp/ 6Mp/ 5MP/ 4MP/ 3MP/ 1080P/ 1.3MP/ 720P</p>	komad	3

		<p>Record Rate: 80Mbps  Bit Rate: 16Kbps ~ 20Mbps Per Channel  Record Mode: Manual, Schedule (Regular, Continuous), MD (Video detection: Motion Detection, Tampering, Video Loss), Stop  Record Interval: 1 ~ 120 min (default: 60 min), Pre-record: 1 ~ 30 sec, Post-record: 10 ~ 300 sec  Playback: 1/4  Search Mode: Time /Date, MD and Exact Search (accurate to second), Smart search  Backup Mode: USB Device/Network  Network Interface: 1 RJ-45 Port (10/100Mbps)  Network Function: HTTP, HTTPS, TCP/IP, IPv4/IPv6, UPnP, RTSP, UDP, SMTP, NTP, DHCP, DNS, IP Filter, PPPoE, DDNS, FTP, SNMP, IP Search (Support Dahua IP camera, DVR, NVS, etc.), Easy4ip  Max. User Access: 128 users  Internal HDD: 1 SATA III Port, Up to 6 TB capacity for each HDD  USB: 2 ports(1 Rear USB2.0, 1 Front USB2.0)  Power Supply: DC12V/2A  Operating Conditions: -10°C ~ +55°C (+14°F ~ +131°F), 86 ~ 106kpa  Storage Conditions: -20°C ~ +70°C (-4°F ~ +158°F), 0 ~ 90% RH  Dimensions: Compact 1U, 260mm×224.9mm×47.6mm (10.2" x 8.9" x 1.9")</p>		
4.	Nabavka, isporuka i montaža kamere HAC-HDBW1500EP-28 ili ekvivalentno	<p>Tip kamere: HDCVI  Rezolucija senzora: 5 Megapiksela  Veličina: 1/2.7"  Tip senzora: CMOS  Uglovi snimanja: 77.5° horizontalni</p>	komad	44

		<p>Osvetljenje: 0 Lux sa IR on, 0.2 Lux/F1.85  Fokusna daljina: 2.8mm  Fokusni koeficijent: F1.85  Rezolucija videa: 2.592 x 1.944  Frame rate: 20fps@5MP, 25/30fps@1080P, 25/30fps@4MP  Dimenzije: 93.4mm x 79.4mm  Napomena: IP67 sertifikovano vodootporno kućište</p>		
5.	<p>Nabavka, isporuka i montaža kamere HAC-HFW1500RP-Z-IRE6-A ili ekvivalentno</p>	<p>Tip kamere: HDCVI  Rezolucija senzora: 5 Megapiksela  Veličina: 1/2.7"  Tip senzora: CMOS  Uglovi snimanja: 98°~34° horizontalni  Osvetljenje: 0 Lux sa IR on, 0.02Lux/F1.8, Infra-crveno (IR) LED osvetljenje 30m  Fokusna daljina: 2.7mm~12mm  Fokusni koeficijent: F1.8  Rezolucija videa: 2.592 x 1.944  Frame rate: 20fps@5MP, 25/30fps@1080P, 25/30fps@4MP  Snimanje: Auto gain control, Automatski balans bele, Maksimalni domet IC dioda 60m, Redukcija zvuka  Dimenzije: 93.4mm x 79.4mm  Napomena: IP67 sertifikovano vodootporno kućište  Tip kućišta: Bullit</p>	komad	12
6.	<p>Nabavka, isporuka i montaža kamere IPC-HFW1230SP ili ekvivalentno</p>	<p>Tip kamere: IP  Rezolucija senzora: 2 Megapiksela  Veličina: 1/3"  Tip senzora: CMOS  Uglovi snimanja: 98°~34° horizontalni  Osvetljenje: 0 Lux sa IR on, 0.02Lux/F1.8, Infra-crveno (IR) LED osvetljenje 30m  Fokusna daljina: 2.8mm  Fokusni koeficijent: F1.8  Rezolucija videa: 2.592 x 1.944  Frame rate: 20fps@5MP, 25/30fps@1080P, 25/30fps@4MP</p>	komad	10

		Snimanje: Auto gain control, Automatski balans bele, Maksimalni domet IC dioda 60m, Redukcija zvuka Dimenzije: 93.4mm x 79.4mm Napomena: IP67 sertifikovano vodootporno kućište Tip kućišta: Bullit		
7.	Nabavka isporuka i montaža POE switch-a PFS3006 4ET-60 4PORT ili ekvivalentno	Tip: Switch Standardi: Hi-PoE, IEEE 802.3af, IEEE 802.3at Protok: 2x10/100Mbps Uplink ports, 4x10/100 Mbps PoE ports Switching: 1.8Gbps Forwarding: 890Kpps 4xPoE 768Kb packet buffer Dimenzije: 130mm x 85mm x 26mm	komad	3
8.	Nabavka isporuka i montaža transformatora PMF3209-015 ili ekvivalent	Transformator 12V 1.25A	komad	26
9.	Nabavka, isporuka i montaža odgovarajuće dozne za montažu kamera		komad	56
10.	Nabavka, isporuka i montaža hard diska za video nadzor Seagate ST4000VX007 ili ekvivalent	3.5" 4TB Surveillance Series SkyHawk (SATA - 6Gb/s, 64MB cache,) Podržava do 64 kamere. Namijenjen za čuvanje podataka u različitim sistemima video nadzora	komad	4
11.	Nabavka, isporuka i montaža hard diska za video nadzor Seagate ST2000VX008 ili ekvivalent	3.5" 2TB Surveillance Series SkyHawk (SATA - 6Gb/s, 64MB cache,) Podržava do 64 kamere. Namijenjen za čuvanje podataka u različitim sistemima video nadzora	komad	4

12.	Nabavka, isporuka i montaža napajanja za kamere	Napajanje za kamere 12V/5A	komad	1
13.	Nabavka, isporuka i montaža UPS uređaja Guardian 1500APALFAPOWER NST-1820A ili ekvivalentno	Centralno napajanje za 18 kanala 20A	komad	4
14.	Nabavka, isporuka i montaža UPS uređaja Guardian 1500AP ili ekvivalentno	900W, 1500VA, line interactive simulated sinewave, ulaz 172-286VAC, izlaz 220±10%, 2×šuko i 2×IEC C13 utičnice, cold start, transfer 2-6ms, LED indikacija rada, USB + PC software, Tel. zaštita, 10.1kg, baterija 2×12V/9Ah	komad	2
15.	Nabavka, isporuka i montaža UPS uređaja Guardian 1000AP ili ekvivalentno	600W, 1000VA, line interactive simulated sinewave, ulaz 172-286VAC, izlaz 220±10%, 2×šuko i 2×IEC C13 utičnice, cold start, transfer 2-6ms, LED indikacija rada, USB + PC software, Tel. zaštita, 10.1kg, baterija 2×12V/9Ah	komad	3
16.	Nabavka, isporuka i montaža nazidnog rack-a	Nazidni rack, 19", 6U (V327 × Š540 x D600mm), crni, 2 šine za montiranje opreme, vrata od kaljenog stakla debljine 4mm, okvir i paneli od galvanizovanog čeličnog lima debljine 1.5mm, pristupna vrata sa zadnje strane	komad	3
17.	Nabavka, isporuka i montaža nazidnog rack-a	Rack orman 19" 9U 600×450mm, visine 520mm. Vrata od kaljenog stakla sa bravicom. Ulaz za kablove sa donje ili gornje strane	komad	2
18.	Nabavka, isporuka i montaža napojne letve	NAPOJNA LETVA HORIZONTALNA 19", 8 utičnih mjesta	komad	5
19.	Nabavka, isporuka i montaža keystone modula Cat6	Keystone modul Cat6, metal	komad	18



20.	Nabavka, isporuka i montaža patch kabl-a	Patch kabl 0,5m Cat6	komad	18
21.	Isporuka i montaža praznog panela sa 24 utična mjesta		komad	3
22.	Nabavka, isporuka i montaža fiksne police za rack	Fiksna police za rack dubine 300mm	komad	4
23.	Nabavka, isporuka i polaganje kabla tipa U/FTP cat. 6		m	105
24.	Potrošni materijal		komad	pauš

**Garancija: 24 mjeseca nakon isporuke i instalacije opreme.**

Smatra se da je izvršena adekvatna isporuka Opreme kada se izvrši kvalitativan i kvantitativan prijem Opreme, što se potvrđuje zapisnikom koji potpisuju ovlašćeni predstavnici NARUČIOCA i DOBAVLJAČA.

**VI Način plaćanja**

Virmanski, u roku od 30 dana od dana ispostavljanja fakture.

**VII Rok isporuke robe, izvođenja radova, odnosno pružanja usluge:**

Rok realizacije je 45 dana od dana zaključivanja ugovora.

**VIII Kriterijum za izbor najpovoljnije ponude:žina**

najniža ponuđena cijena

broj bodova

**IX Rok i način dostavljanja ponuda**

Ponude se predaju radnim danima od 10.00 do 14.00 sati, zaključno sa danom 05.03.2020. godine do 14.00 sati.

Ponude se mogu predati:

neposrednom predajom na arhivi naručioca na adresi ul 19 decembra b.b, južna tribina Gradskog stadiona.

preporučenom pošiljkom sa povratnicom na adresi ul 19 decembra b.b, južna tribina Gradskog stadiona.

### X Rok za donošenje obavještenja o ishodu postupka

Obavještenje o ishodu postupka biće donijeto u roku od 10 dana po otvaranju ponuda.

### XI Druge informacije

#### 1) Obavezni uslovi za učešće u postupku javne nabavke

Pravo učešća u postupku javne nabavke koji ispunjava obavezne uslove za učešće u postupku javne nabavke i to:

- 1) da je upisan u registar kod organa nadležnog za registraciju privrednih subjekata;
- 2) da je uredno izvršio sve obaveze po osnovu poreza i doprinosa u skladu sa zakonom, odnosno propisima države u kojoj ima sjedište;
- 3) da ponuđač odnosno njegov zakonski zastupnik nije pravosnažno osuđivan za neko od krivičnih djela organizovanog kriminala sa elementima korupcije, pranja novca i prevare.

Ispunjenost uslova utvrđenih zahtjevom za dostavljanje ponuda, ponuđač može da dokazuje i pisanom Izjavom datom pod punom moralnom, materijalnom i krivičnom odgovornošću.

Obrazac Izjave o ispunjenosti uslova iz člana 65 ZJN Crne Gore čini sastavni dio zahtjeva za dostavljanje ponuda.

Zahtjev će biti objavljen na zvaničnom sajtu Naručioca: [www.parkingservispg.me](http://www.parkingservispg.me), gdje se nalazi i Pravilnik o nabavkama male vrijednosti, koji je potrebno pročitati prije izrade ponude.

Ponuda se dostavlja poštom ili neposrednom predajom na arhivi naručioca, u zatvorenoj koverti na kojoj je ispisan: Naziv naručioca, Napomena "Ponuda - ne otvaraj", broj i naziv poziva za dostavljanje ponuda. Na poledini koverta ispisati naziv, sjedište i kontakt ponuđača.

Ponuda dostavljena nakon roka određenog pozivom neće se razmatrati.

Sa izabranim ponuđačem Naručilac će zaključiti Ugovor.

Mjesto izvršenja ugovora: naplatne kućice Naručioca

Službenik za javne nabavke

Aleksandra Škerović



Ovlašćeno lice naručioca

[Handwritten signature]

**FINANSIJSKI DIO PONUDE**

r.b.	opis predmeta	bitne karakteristike ponudnog predmeta nabavke	jedinica mjere	količina	jedinična cijena bez pdv-a (€)	ukupan iznos bez pdv-a (€)	pdv (€)	ukupan iznos sa pdv-om (€)
1								
2								
3								
.....								
Ukupno bez PDV-a								
PDV								
Ukupan iznos sa PDV-om:								

**Uslovi ponude:**

Rok izvršenja ugovora je	
Mjesto izvršenja ugovora je	
Garantni rok	
Rok plaćanja	
Način plaćanja	
Period važenja ponude	
....	
.....	

Ovlašćeno lice ponuđača

\_\_\_\_\_  
(ime, prezime i funkcija)

\_\_\_\_\_  
(potpis)

M.P.

Memorandum ponuđača

U skladu sa Odredbama Zakona o javnim nabavkama Crne Gore („Sl.list CG“ br. 42/11, 57/14, 28/15 i 42/17) i člana 7 stav 6 Pravilnika o sadržaju akta i obrascima za sprovođenje nabavke male vrijednosti („Službeni list CG“, br. 49/17), dajemo sljedeću;

### **IZJAVU**

Pod punom moralnom, materijalnom i krivičnom odgovornošću izjavljujemo da uslove iz člana 65 Zakona o javnim nabavkama CG u potpunosti ispunjavamo.

Ova izjava je sastavni dio dokumentacije predmeta javne nabavke tj. zahtjeva za dostavljanje ponuda.

Potpis ovlašćenog lica

---

Datum i mjesto potpisivanja

---

M. P.